

Pilot Rock Model PAB Surface Mount 4, 6, and 8 Foot **Athletic Bench with Thermo-plastic** Coated H-Type Perforated Steel Seat

SPECIFICATION BULLETIN **#SPC-BC-149**

REV. 05-11



Model PAB/G-6HW12 Surface Mount Athletic Bench with hot dip galvanized frames, 6 ft. long with brown thermo-plastic coated H-type perforated steel seat.


- Extra heavy design to be stronger and more stable with a simple, clean style.
- · Sturdy, formed and welded steel frame construction
- Frames are Hot-Dip Galvanized after fabrication for superior corrosion resistance
- Thermo-plastic Coating heat fused to Perforated Steel Seat for durability
- Thermo-plastic Coating formulated with U.V. stabilizers for ultraviolet protection
- Quality construction throughout

AVAILABLE OPTIONS


4', 6', or 8' models Powder Coat Finish in choice of colors for Steel Frame components Choice of colors of Thermo-plastic Coating Custom Lettering available (call for details)


SPECIFICATIONS:

- Model PAB end frames are one-piece, welded construction with seat bracket of 2" x 2" x 3/16" A-36 structural grade steel angle and a 2.375" (2-3/8") O.D. post and foot to meet 2" nominal steel pipe size specifications. Frame foot is formed with flattened and rounded ends. A 9/16" hole is provided in each end of foot for optional surface mounting with concrete anchors (anchors not included).
- **Model PAB/G-4** shall be 4 ft. long (nom.) with two frames.
- Model PAB/G-6 shall be 6 ft. long (nom.) with two frames and two diagonal braces.
- Model PAB/G-8 shall be 8 ft. long (nom.) with two frames and two diagonal braces.
- Standard: All steel frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. PAB/**G**-4HW10).
- All fasteners are provided for assembly.
- H-Type seat is a one-piece welded construction, fabricated from a 14 ga. perforated steel surface with 9/16" dia. holes in a 13/16" center to center in-line pattern and 2-1/2" x 10 ga. roll-formed vertical edges on all sides reinforced by a 10 ga. die-formed angle substructure. Substructure includes all mounting holes for easy assembly of bench.
- Standard: All steel surfaces of the seat are covered with a thermo-plastic coating in a Brown color (indicated by "HW" in model no., e.g. PAB/G-4HW10). The UV-stabilized thermoplastic coating is applied in a multi step process of material preparation and finish application designed to permanently heat fuse and bond the finish to the steel. The thermo-plastic polyethylene finish is impact resistant, does not support mold or mildew, and the textured matte surface is less susceptible to marring and scuffing.
- Standard: Seat is 10" wide (nom.), indicated by "10" at end of model number, e.g. PAB/G-4HW10.
- Optional: Seat is 12" wide (nom.), indicated by "12" at end of model number, e.g. PAB/G-4HW12.
- Optional: Color choices of powder coated steel frame components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- Optional: Color choices of Thermo-plastic coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- Optional: Custom lettering available on 12" wide seat. (Please call for details.)



| MODEL | DIMENSION | SION |
|--------|-----------|--------|
| NUMBER | а | q |
| PAB-4 | 48 | 36 |
| PAB-6 | 72 | 51-3/4 |
| PAB-8 | 96 | 70 |





ALL DIMENSIONS IN INCHES

| Inc. | 2-0946 |
|-------|-------------|
| °. | IA 5101 |
| Mfg. | herokee, |
| nomas | ox 946 • Ch |
| RJTh | P.O. Box |

WWW DRAWN BY

TITLE MODEL PAB HEAVY DUTY 4, 6, AND 8 FOOT PORTABLE/SURFACE MOUNT ATHLETIC BENCH WITH PLASTISOL COATED H-TYPE PERFORATE STEEL SEAT

AI-1838 5-16-11 DWG. NO. DATE

Specification Bulletin SPC- BC-149